



AWT

Junior Bots!

2017 Junior Bot Competition Rules & Regulations



WORKING TOGETHER TO PROMOTE REWARDING CAREERS IN MANUFACTURING

1-18-17

AWT FOUNDATION

PO BOX 123, MENTOR, OH 44061

440-525-9017

WWW.THINKMFG.COM



Junior Bots!

Contents

2017 Junior Bot Competition Rules & Regulations	1
1.0 General Information	4
1.1 Competition	4
1.2 Teams.....	4
1.3 Competition.....	4
1.4 Resolving Problems	4
2.0 Registration Requirements	4
2.1 Eligibility.....	4
2.2 Documentation	4
2.3 Bot Transport	4
3.0 Bot Modifications	5
3.1 Modifications.....	5
3.2 Bot Personalization.....	5
3.3 Mobility	5
3.4 Robot Control Requirements:	5
3.5 Autonomous/Semi-Autonomous Robots:	5
3.6 Batteries and Power	6
3.7 Pneumatics	6
3.8 Hydraulics.....	6
3.9. Internal Combustion Engines (ICE) and liquid fuels.	6
3.10 Rotational weapons or full body spinning robots:	6
3.11 Springs and Flywheels.....	6
3.12 Forbidden Weapons and Materials.	7
3.13 Special Weapons allowed:	7
4.0 Safety Rules.....	8
4.1 Safety Glasses	8
4.2 Bots on Blocks	8
4.3 Pit Area Restrictions.....	8
4.4 Clothing.....	8
4.5 Adult Supervision.....	8
4.6 Bot Testing	8

WORKING TOGETHER TO PROMOTE REWARDING CAREERS IN MANUFACTURING

1-18-17
AWT FOUNDATION
PO BOX 123, MENTOR, OH 44061
440-525-9017
WWW.THINKMFG.COM



AWT

Junior Bots!

4.7 Bot Transportation to the Arena.....9

4.8 Weapons9

4.9 Weapon Restraints9

4.10 Safety Inspector.....9

4.11 Inspection9

4.12 Official Scale.....9

4.13 AWT Right to Inspect/Disqualify.....9

4.14 Match Weigh-In 10

4.15 Building Cautions 10

5.0 Matches 10

5.1 Match Length 10

5.2 Tournament Placement 10

5.3 Judging..... 10

5.4 Bot Unstuck Rule 10

5.5 Bot Pinning 11

5.6 Bot Unable to Move 11

5.7 Tap Out..... 11

5.8 Single Elimination..... 11

5.9 Grudge Match..... 11

6.0 Radio Control 11

 HK-T6A V2 6 Channel Hobby King Controller 11

7.0 Rules Enforcement 12

 7.1 Rules Compliance 12

 7.2 Expelled Individual 12

 7.3 Expelled Team..... 12

8.0 Rules Enforcement 12

WORKING TOGETHER TO PROMOTE REWARDING CAREERS IN MANUFACTURING

1-18-17

AWT FOUNDATION

PO BOX 123, MENTOR, OH 44061

440-525-9017

WWW.THINKMFG.COM



AWT Junior Bots!

1.0 General Information

1.1 Competition

- 2.2lb. ("Beetle Weight") Bots compete against each other in a head-to-head match.
- The match will last 90 seconds or until one Bot is knocked out or taps out.
- The AWT Junior Bot competition will be a single elimination tournament.

1.2 Teams

A team is defined by its name and its affiliated middle school. A team may be scholastic or club. It is entirely up to the school/club to decide how the team is developed.

The AWT Foundation will provide a Manufacturing Support Representative.

It is suggested a total of 7-10 middle school students per team.

1.3 Competition

Only the following winners will be recognized at the annual competition: First, Second and Third place.

1.4 Resolving Problems

If there are any issues that need to be resolved, they should be brought to the attention of AWT Foundation.

2.0 Registration Requirements

2.1 Eligibility

In order to be eligible to compete, teams must submit their documentation packet no later than 2 weeks prior to competition.

2.2 Documentation

Documentation is used to explain the learning process. The documentation includes: SWOT analysis, individual team members Expectation sheets and team meeting minutes. Documentation must be submitted by the deadline set in the registration packet. A team that fails to provide documentation for its bot is not eligible to compete.

2.3 Bot Transport

Once a team has checked in the bot must remain in the team area until they are called for battle. After competing, bot should be returned to the team area until claimed by the teacher.

WORKING TOGETHER TO PROMOTE REWARDING CAREERS IN MANUFACTURING

1-18-17

AWT FOUNDATION

PO BOX 123, MENTOR, OH 44061

440-525-9017

WWW.THINKMFG.COM



AWT Junior Bots!

3.0 Bot Modifications

3.1 Modifications

Modifications will be allowed, within NRL technical Regulations, and as long as the weight of the bot remains 2.2 lbs. or less.

3.2 Bot Personalization

Team may personalize by way of surface decoration. Paint and flat sticker type décor is permitted. Function and Safety must not be affected. AWT logos are encouraged, but not mandatory.

3.3 Mobility

All robots must have easily visible and controlled mobility in order to compete. Methods of mobility include:

- Rolling (wheels, tracks or the whole robot)
- Non-wheeled: non-wheeled robots have no rolling elements in contact with the floor and no continuous rolling or cam operated motion in contact with the floor, either directly or via a linkage. Motion is “continuous” if continuous operation of the drive motor(s) produces continuous motion of the robot. Linear-actuated legs and novel non-wheeled drive systems may qualify for this bonus.
- Shuffling (rotational cam operated legs)
- Ground effect air cushions (hovercrafts)

3.4 Robot Control Requirements:

- Primary control and fail-safe communications to a Bot have to be via a remote radio link. Tethered control is specifically not allowed.
- A Bot may be controlled by a maximum of three Operators/Drivers
- A Bot must have a robust radio fail-safe that shuts off all motion-system and weapons power within one second after the remote-control transmitter is switched off, or otherwise stops transmitting. This fail-safe is required in addition to the Master Switch requirements
- Binary (on/off) movement speed control is not allowed. Any control of the Bot speed along the ground has to be continuously variable in both forward and reverse directions.
- Any capacitors or electrical storage devices used in the system must be capable of being safely discharged without putting the students at risk.

3.5 Autonomous/Semi-Autonomous Robots:

Any robot that moves, seeks a target, or activates weapons without human control is considered autonomous. If your robot is autonomous contact the event organizer.

- Autonomous robots must have a clearly visible light for each autonomous subsystem that indicates whether or not it is in autonomous mode, e.g. if your robot has two autonomous weapons it should have two “autonomous mode” lights (this is separate from any power or radio indicator lights used).



Junior Bots!

- The autonomous functionality of a robot must have the capability of being remotely armed and disarmed. (This does not include internal sensors, drive gyros, or closed loop motor controls.) While disarmed, all autonomous functions must be disabled.
- When activated the robot must have no autonomous functions enabled, and all autonomous functions must failsafe to off if there is loss of power or radio signal.
- In case of damage to components that remotely disarm the robot, the robot's autonomous functions are required to automatically disarm within one minute of the match length time after being armed.

3.6 Batteries and Power

The only permitted batteries are ones that cannot spill or spray any of their contents when damaged or inverted. This means that standard automotive and motorcycle wet cell batteries are prohibited. Examples of batteries that are permitted: gel cells, Hawkers, NiCads, NiMh, dry cells, LiFePO₄, AGM, and Lilon. (NO LiPoly batteries will be allowed.) [If your design uses a new type of battery, or one you are not sure about, please contact the Event Organizer.]

- All nominal onboard maximum voltages are limited to: 28 Volts. (It is understood that a charged battery's initial voltage state is above their nominal rated value.)
- All electrical power to weapons and drive systems (systems that could cause potential human bodily injury) must have a manual disconnect that can be activated within 15 seconds without endangering the person turning it off. (E.g. No body parts in the way of weapons or pinch points.) Shut down must include a manually operated mechanical method of disconnecting the main battery power, such as a switch (Hella, Whyachi, etc.) or removable link. Relays may be used to control power, but there must also be a mechanical disconnect.
- All efforts must be made to protect battery terminals from a direct short and causing a battery fire.
- All robots must have a separate light per switch that is easily visible from the outside of the robot that shows its main power is activated.
- Batteries must be visible for inspection and must have marking from the manufacturer that clearly identifies the type of battery. If such markings are not possible, be prepared to show another form of proof that your battery is allowed. I.E. vendor receipt, etc.

3.7 Pneumatics

Robots in this competition are NOT allowed to use pneumatics.

3.8 Hydraulics

Robots in this competition are NOT allowed to use hydraulics.

3.9. Internal Combustion Engines (ICE) and liquid fuels.

Robots in this competition NOT allowed to use ICE.

3.10 Rotational weapons or full body spinning robots:

- Spinning weapons cannot contact the outer arena walls during normal operation. (Contact with an inner arena curb, or containment wall is allowed).
- Spinning weapons must come to a full stop within 30 seconds of the power being removed.

3.11 Springs and Flywheels

- Springs used in robots will use the remaining rules in this section. Safe operation, good engineering and best practices must be used in all systems.

WORKING TOGETHER TO PROMOTE REWARDING CAREERS IN MANUFACTURING

1-18-17

AWT FOUNDATION

PO BOX 123, MENTOR, OH 44061

440-525-9017

WWW.THINKMFG.COM



Junior Bots!

- Any springs used for drive or weapon power must have a way of loading and actuating the spring remotely under the robot's power.
 - Springs used for active weapons must not be loaded when the robot is out of the arena or testing area.
 - Springs used within switches or other internal operations are exempt from this rule.
- Any flywheel or similar kinetic energy storing device must not be spinning or storing energy in any way unless inside the arena or testing area.
 - There must be a way of generating and dissipating the energy from the device remotely under the robots power.
- All springs, flywheels, and similar kinetic energy storing devices must fail to a safe position on loss of radio contact or power.

3.12 Forbidden Weapons and Materials.

The following weapons and materials are absolutely forbidden from use:

- Weapons designed to cause invisible damage to the other robot. This includes but is not limited to:
 - Electrical weapons
 - RF jamming equipment, etc.
 - EMF fields from permanent or electro-magnets that affect another robot's electronics.
 - Weapons or defenses that stop combat completely of both (or more) robots. This includes nets, tapes, strings, and other entanglement devices.
- Weapons that require significant cleanup, or in some way damages the arena to require repair for further matches. This includes but is not limited to:
 - Liquid weapons. Additionally, a bot may not have liquid that can spill out when the robot is superficially damaged.
 - Foams and liquefied gasses.
 - Powders, sand, ball bearings and other dry chaff weapons
- Un-tethered Projectiles (see tethered projectile description in Special Weapons section.)
- Heat and fire are forbidden as weapons. This includes, but is not limited to the following:
 - Flammable liquids or gases
 - Explosives or flammable solids such as: DOT Class C devices, Gunpowder / Cartridge Primers, Military Explosives, etc.
- Light and smoke based weapons that impair the viewing of robots by an Entrant, Judge, Official or Viewer. (You are allowed to physically engulf your opponent with your robot, however.) This includes, but is not limited to the following:
 - Smoke weapons not specifically allowed in the Special Weapons section
 - Lights such as external lasers above 'class I' and bright strobe lights which may blind the opponent.
- Hazardous or dangerous materials are forbidden from use anywhere on a robot where they may contact humans, or by way of the robot being damaged (within reason) contact humans.

3.13 Special Weapons allowed:

- Tethered Projectiles are allowed, but must be no longer than 3 feet and may not entangle

WORKING TOGETHER TO PROMOTE REWARDING CAREERS IN MANUFACTURING

1-18-17

AWT FOUNDATION

PO BOX 123, MENTOR, OH 44061

440-525-9017

WWW.THINKMFG.COM



AWT Junior Bots!

4.0 Safety Rules

4.1 Safety Glasses

Safety glasses must be worn at all times when in the arena area when your bot is competing. Standard prescription glasses do not count as safety glasses. Prescription safety glasses or safety glasses designed to fit over prescription lenses are acceptable. Standard safety glasses should not be worn over prescription lenses. This rule also applies to coaches and technical advisors. Safety is the responsibility of everyone. Non-compliance will result in disqualification.

4.2 Bots on Blocks

Bot and weapon can only be operated in an approved safety cage.

4.3 Pit Area Restrictions

Only team members are allowed in the pit area. Team members will be required to wear the wristband provided. Guests and parents must remain in the spectator area during team competitions. There may be restrictions on the number of people allowed in the pit area, depending on the venue. Teams with over 10 students should check with the Event Organizer before a competition to find out the pit restrictions. Aisles must be kept clear of stationary objects. If needed, teams may use the area under the table for storage. Junior Bot wrist bands will not permit RoboBot pit area access.

4.4 Clothing

Everyone in the pit area is required to wear appropriate clothing and this includes closed-toed shoes. Long hair must be tied back and dangling jewelry is not permitted. Students, teachers or advisors without appropriate clothing will be escorted from the pit area.

4.5 Adult Supervision

When any team member is working on a Bot, a supervising adult (minimum age of 18 years old) needs to be present. An adult can supervise no more than 2 teams at a time. High School students, even those over 18 years of age, are not eligible to provide adult supervision. The coach is responsible for their team members at all times.

4.6 Bot Testing

All Bot drive and weapon tests need to be performed in a test box, or arena, and NOT the pit area. Bots and controllers must not be turned on in the pit area. When placing bot in competition arena, controller and



Junior Bots!

bot (with safety equipment engaged) are to be placed within arena until direction is given from referee.

4.7 Bot Transportation to the Arena

Any Bot being transported outside the pit area must have provided weapon restraints in place, and they must be completely deactivated.

4.8 Weapons

Under no circumstance may any body part be placed in the path of a weapon or other moveable bot part, including during installation, activation or deactivation, or removal of any safety device. A bot may never be picked up or carried by its weapon.

4.9 Weapon Restraints

Weapons must be restrained at all times, unless the Bot is in the test box or in the arena. The restraints will only be removed once the Bot has powered on successfully. Weapon restraints must be able to prevent the motion of the weapon.

4.10 Safety Inspector

Competition will have a Lead Safety Inspector. This person will be responsible for inspection of each bot. This person will be the main contact for any safety related questions or comments.

4.11 Inspection

Each bot must pass a visual and functional inspection before competing. Inspection involves as outlined and meets the safety requirements.

4.12 Official Scale

The AWT will have a specific scale designated as the official scale for that event. Your bot must make weight using that scale. Bot must not weigh more than 2.20 lbs.

4.13 AWT Right to Inspect/Disqualify

AWT reserves the right to inspect/disqualify your bot at any time during the competition. Any additions or changes to the bot must be re-inspected before competing, as well as after any



Junior Bots!

significant damage during a match If AWT official feels a bot is unsafe for any reason and it cannot be made safe, it will be disqualified and not allowed to compete.

4.14 Match Weigh-In

All bots will be reweighed before each match.

4.15 Building Cautions

Combat bot systems can be dangerous if not designed, constructed and tested properly. Damage during matches can render the bot unsafe. It is ultimately the responsibility of the bot supervisor to ensure the safety of their system.

5.0 Matches

5.1 Match Length

Each match will be 90 seconds long, unless a Bot is knocked out or taps out.

5.2 Tournament Placement

The placement of your Bot in the tournament brackets will be random. Minor adjustments may be made to ensure teams from the same school do not compete against each other in the first round.

5.3 Judging

Matches are judged on two criteria: aggression and control. If the match lasts for the entire 90 seconds, the judges will decide the winner. The winner will be the Bot with the judges' majority votes. There are three judges, each judge is entitled to one vote. Judges will be using a scoring card to track the match. All judges must attend training before participating at a competition.

5.4 Bot Unstuck Rule

Each Bot is allowed one release during the match; this means if your Bot is stuck on the floor or under an arena rail, the referee will stop the match, release the Bot without changing its position, and then restart the match. Being tossed out of the arena (i.e., over the rail, up on the rail or wall, between the rail and wall) or knocked upside down does not constitute being stuck. Multi-Bots are allowed one release total, not one release for each bot.



Junior Bots!

If both competing teams' Bots are stuck on each other, they will be released as often as needed without changing the Bot's position.

5.5 Bot Pinning

If a Bot pins or traps the other Bot, they must release it after the referee counts 10 seconds.

5.6 Bot Unable to Move

If a Bot is unable to move during the match, the referee will start a 10 second countdown. If that Bot cannot move by the end of the countdown, it will be considered a loss, and the other Bot will be the winner of the match. The referee will decide whether the Bot shows sufficient movement. In the case of Multi-Bots, this is true if it is the "primary" Bot. If it is not the "primary" Bot, the match continues, and there is not a countdown. If both Bots are unable to move after the 10 second countdown, the judges will determine the winner of the match.

5.7 Tap Out

If a team wishes to stop the match at any time, they may loudly declare "Tap Out." This will be an automatic loss for that team. The other team will not be allowed to attack them after they have declared a "Tap Out."

5.8 Single Elimination

The AWT Competition will be a single elimination tournament.

5.9 Grudge Match

If the Event Organizer feels there is time, they may announce the opportunity for a Grudge Match. Teams will have the opportunity to sign up to fight a specific opponent. Both teams are required to agree to the match, and both bots will be required to have been eliminated from the competition to be eligible. They will have a regular 90 second match and the audience will decide the winner. This is purely for fun and it will not affect any tournament results.

6.0 Radio Control

HK-T6A V2 6 Channel Hobby King Controller

AWT only permits the use of K-T6A V2 6 Channel Hobby King Controller provided with the Junior Bot kit in accordance with the no modifications rule. Only 9volt batteries are to be used to power the bot and weapon.



AWT Junior Bots!

7.0 Rules Enforcement

7.1 Rules Compliance

In all matters of compliance with the Rules, and any applicable civil or criminal laws, the AWT and its officials reserve the right to penalize, or disqualify a Bot, or to warn or, expel any team or individual from the competition.

7.2 Expelled Individual

If an individual is expelled, they must leave the premises and return any and all IDs, pit passes, etc.

7.3 Expelled Team

If an entire team is expelled, they will be asked to leave the premise and return any and all IDs, pit passes, etc. They will also need to clear their pit table.

8.0 Rules Enforcement

The Judge's decision on a match is final. Disqualification due to an intentional safety violation is final. Disqualification due to failure to obey an AWT official's instruction is final.

*****The remainder intentionally left blank*****